

## References

- Abadie, J. and Carpentier, J. (1969): Generalization of the Wolfe Reduced Gradient Method to the Case of Nonlinear Constraints", in Optimization, R. Fletcher (ed.). London: Academic Press, 37-47.
- Abbott, M.B., Bathurst, J.C., Cunge, J.A., O'Connell, P.E., and Rasmussen, J. (1986): An introduction to the European Hydrological System- Systeme Hydrologique European, 'she', 2: structure of a physically-based distributed modelling system. *Journal of Hydrology*, 87:45-59.
- Abdulla, F.A. and Lettenmaier, D.P. (1997): Development of regional parameter estimation equations for a macroscale hydrologic model. Elsevier: *Journal of Hydrology* 197:230-257.
- Ahmed, S. and de Marsily, G. (1987): Comparison of geostatistical methods for estimating transmissivity using data on transmissivity and specific capacity. *Water Resources Research*, 23(9):1717-1737.
- Akaike, H. (1973): A new look at the statistical model identification. *IEEE Transactions on Automatic Control*. 19:716-723.
- Allen, P.M. (1997): Cities and regions as self-organizing systems: models of complexity. Amsterdam: Gordon and Breach Science, 1997.
- Anderson, M.G. and Burt, T.P. (1978): The role of topography in controlling throughflow generation. *Earth Surface Processes*, 3:331-344.
- Avisar, R. and Verstraete, M.M. (1990): The representation of continental surface processes in atmospheric models. *Reviews of Geophysics* 28(1):35-52.
- Ayros, E. (2000): Regionalisierung extremer Abflüsse auf der Grundlage statistischer Verfahren. Institut für Wasserbau, Universität Stuttgart. Helf 101.
- Bárdossy, A. (1993): Stochastische Modelle zur Beschreibung der raum-zeitlichen Variabilität des Niederschlages. Heft 44, Institut für Hydrologie und Wasserwirtschaft der Universität Karlsruhe.
- Bárdossy, A. (1997): Introduction to Geostatistics. Compendium, Institute for Hydraulic Engineering and Water Resource Management, University of Stuttgart.
- Bárdossy, A. (1999): On CC-HYDRO. Impact of climate change on river basin hydrology under different climatic conditions. Final report ENV4-CT95-0133. Nachtnebel, P. (Editor).
- Bárdossy, A., Bogardi, I., Kelly, W.E. (1990): "Kriging with imprecise (fuzzy) variograms", *Mathematical Geology*, v. 22(1):63-94.

- Bárdossy, A., and Caspary, H.J. (1999): The Stochastic Downscaling Model “CP-precipitation and temperature” on ACCORD: Atmospheric Circulation Classification and Regional Downscaling, Reid P.A., Jones P.D., Davies T.D. (eds.). CRU, UK.  
Online: <http://www.cru.uea.ac.uk/cru/projects/accord/>
- Bárdossy, A. and Plate, E.J., (1992): Space-time model for daily rainfall using atmospheric circulation patterns. *Water Resources Research*, 28:1247-1259.
- Bárdossy A., Samaniego, L. (2002): Fuzzy Rule-Based Classification of Remotely Sensed Imagery. *IEEE Transactions on Geoscience and Remote Sensing*. Vol.40, No.2, Feb. 2002.
- Bedient, P.B. and Huber, W.C. (1992): *Hydrology and Floodplain Analysis*. Massachusetts: Addison-Wesley Publishing Company, 692 p.
- Bell, E.J. (1974): Markov analysis of land use change-Application of stochastic processes to remotely sensed data, *Socio-Economic Planning Sciences*, 8(6):311–316.
- Berenson, M.L. et al. (1983): *Intermediate statistical methods and applications: a computer package approach*. Englewood Cliffs, NJ : Prentice-Hall, - XVIII, 579 p.
- Bergström, S. and Forsman, A. (1973): Development of a conceptual deterministic rainfall-runoff model. *Nordic Hydrology*, Vol. 4(3):147-170.
- Bergström, S. (1995): The HBV model. In: *Computer models of watershed hydrology*. Vijay P. Singh (Ed.). Colorado: Water Resources Publications, XIV, 1130 p.
- Berry, M.W., Flamm, R.O., Hazen, B.C., and MacIntyre, R.L. (1995): The land-use change analysis system (LUCAS) for evaluating landscape management decisions. *IEEE Computational Science and Engineering*.
- Beven, K.L. and Kirkby, M.J. (1979): A physically-based variable contribution area model of basin hydrology. *Hydrological Sciences Bulletin*, 24:43-69.
- Beven, K.J. (1986): Hillslope Runoff Processes and Flood Frequency Characteristics. In A. D. Abrahams (ed.) *Hillslope Processes*, Boston: Allen and Unwin. 187-202.
- Beven, K.J. (1989): Changing ideas in hydrology – the case of physically-based models. *Journal of Hydrology* 105:157-172.
- Blyth, S. (1996): Out of line, *Risk*, 9(10):82-84.
- Boer, G.J., Flato, G., Reader, M.C., and Ramsden, D. (2000): A transient climate change simulation with greenhouse gas and aerosol forcing: experimental design and comparison with the instrumental record for the 20<sup>th</sup> century. *Clim. Dyn.*, 16:405-426.
- Bosch, J.M. and Hewlett, J.A. (1982): A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. *Journal of Hydrology*, (55):3-23.
- Bonell, M. (1993): Process in the understanding of runoff generation dynamics in forest. *Journal of Hydrology* 150:217-275. Elsevier Science Publishers.
- Brown, D.G, Pijanowski, B.C., and Duh, J.D. (2000): Modelling the relationships between land-use and land-cover on private lands in the Upper Midwest, *Journal of Environmental Management*, 59:247–263.

- Brown, D.G., Goovaerts, P., Burnicki, A. and Meng-Ying Li (2002): Stochastic Simulation of Land-Cover Change Using Geostatistics and Generalized Additive Models. *Photogrammetric Engineering and Remote Sensing*. MI 48109-1115 Vol. 68(10):1051–1061.
- Bronstert, A. (1995): User Manual for the HILFLOW-3D Catchment Modelling System. (Physically Based and Distributed Modelling of Runoff Generation and Soil Moisture Dynamics for Micro-Catchments), Cooperative Research Centre for Catchment Hydrology. Working Document 95/4.
- Bundesamt für Bauwesen und Raumordnung (2000): Raumordnungsbericht 2000, Band 7, Bonn.
- Burrough, P.A. (1986): Principles of Geographical Information Systems for Land Resources Assessment. Oxford University Press, New York, 50 p.
- Cada, G.F. and Hunsaker, C.T. (1990): Cumulative impacts of hydropower development: Reaching a watershed in impact assessment. *The Environmental Professional* 12(1):2-8.
- Calder, I.R. (1993): Hydrologic effects of land-use change. In: Maidment D.R. (ed). *Handbook of Hydrology*, New York: McGraw-Hill. 13.1-13.50.
- Canty, A.J. (1998): An S-Plus Library for Resampling Methods. Online: <http://statwww.epfl.ch/davison/BMA/library.html>.
- Carlston, C.W. (1963): Drainage density and stream flow. United States Geological Survey. Professional Paper, 422-C.
- Carlston, C.W. (1966): The effect of climate on drainage density and stream flow. *Bulletin of the International Association of Scientific Hydrology*, 11(3):62-69.
- Casti, J. (1984): On the Theory of models and the modelling of natural phenomena in *Recent Developments in Spatial Data Analysis, Methodology, Measurement, Models*, Bahrenberg, G., Fischer, M., and Nijkamp, P. (eds.). Aldershot: Gower Publishing Co. Ltd.
- Casti, J. (1990): *Searching for Certainty: What Scientists Can Know About the Future*. William Morrow and Company, Inc.: New York.
- Chatfield, C. (1989): *The analysis of time series: an introduction*. London: Chapman and Hall, XII, 241 p.
- Chilès, J.P. and Delfiner, P. (1999): *Geostatistics: modeling spatial uncertainty*. New York: Wiley - XI, 695 p.
- Chow, V.T. (ed.) (1964): *Handbook of Applied Hydrology: a compendium of water resources technology*. New York: McGraw-Hill.
- Clarke, R.T. (1994): *Statistical modelling in hydrology*. Chichester : Wiley,. - XII, 412 p.
- Cross, G., and Jain, A. (1983): Markov Random Field Texture Models. *IEEE Transactions on Pattern Analysis and Machine Intelligence*. Vol. PAMI-5, No.1, Jan. 1983.
- Daniel, C. and Wood, F.S. (1980): *Fitting equations to data: computer analysis of multifactor data*, 2. ed.. New York: Wiley - XVIII, 458 p.
- Davison, A.C., Hinkley, D.V. (1997): *Bootstrap methods and their application*. Cambridge: Cambridge University Press.

- Dawdy, D.R., Lichty, R.W., and Bergmann, J.M. (1972): A rainfall-runoff simulation model for estimation of flood peaks for small drainage basins, United States Geological Survey Professional Paper 506-B, 28 p.
- Demuth, S. and Külls, C. (1997): Probability Analysis and regional aspects of droughts. IAHS Publication. 240:97-104.
- Deutsch, C. (2001): Principles of Monte Carlo Simulations. Centre for Computational Geostatistics, University of Alberta. Online: <http://www.ualberta.ca/~cdeutsch>.
- Deutscher Wetterdienst (1960-1995): Meteorologisch-statistische Jahrbücher von 1960 bis 1995 für verschiedene Klima- und Niederschlagsstationen. Offenbach.
- Dickert, T.G., and Tuttle, A.E. (1985): Cumulative impact assessment in environmental planning: A coastal wetland watershed example. *Environmental Impact Assessment Review* 5:37-64.
- Dingman, S.L. (1994): *Physical Hydrology*. New York: Macmillan Publishing Company, 575 p.
- Dooge, J.G. (1988): Hydrology in Perspective. *Hydrological Sciences Journal* 33:61-85.
- Dooge, J.G. (1992): Hydrologic models and climate change. *Journal of Geophysical Research*. 97(D3):2677-2686.
- Dracup, J.A., and Kahya, E. (1994): The Relationships Between U.S. Streamflow and La Niña Events, *Water Resources Research*, 30(7):2133-2141.
- Draper, N.R. and Smith, H. (1981): *Applied regression analysis* (2. ed.). New York: Wiley. XIV, 709 p.
- Duckstein, L., Bardossy, A., and Bogardi, A. (1993): Linkage Between the Occurrence of Daily Atmospheric Circulation Patterns and Floods: an Arizona Case Study. *J. Hydrology.*, 143:413-428.
- Duckstein, L., Plate, E.J. (Eds.) (1987): *Engineering Reliability and Risk in Water Resources*. Dordrecht: Martinus Nijhoff Publishers. NATO ASI Series.
- Dudewicz, E.J. (1992): The Generalized Bootstrap. In *Bootstrapping and related techniques* (proceedings of an international conference, held in Trier, FRG, June 4 - 8, 1990): Joeckel, K.-H (Ed.). Berlin; Heidelberg: Springer. VIII, 245 p. (Lecture notes in economics and mathematical systems; 376 p.).
- Eeles, C.W. and Blackie, J.R. (1993): Land-use changes in the Balquhiddy catchments simulated by a daily streamflow model. *Journal of Hydrology*, 145:315-336.
- Efron, B. (1982): *The Jackknife, the Bootstrap and Other Resampling Plans*. Philadelphia, Pa.: Society for Industrial and Applied Mathematics, VII, 92 p. (Regional conference series in applied mathematics; 38).
- Enting, I.E., Wigley, T.M.L., and Heimann, M. (1994): *Future Emissions and Concentrations of Carbon Dioxide: Key Ocean/Atmosphere/Land Analyses*. CSIRO Division of Atmospheric Research Technical Paper No. 31.
- Eurostat (1996): *GDP per head in the European' Union's Richest and Poorest Regions*.
- Ezekiel, M. (1930): *Methods of Correlation Analysis*, Wiley, New York.

- Fisher, R.W. (1996): Future Energy Use. *Future Research Quarterly*, 31:43-47.
- Flamm, R.O. and Turner, M.G. (1994): Alternative model formulations for a stochastic simulation of landscape change. *Landscape Ecology*, 9(1):37-46.
- Foley, J.A., Levis, S., Prentice, I.C. et al (1998): Coupling dynamic models of climate and vegetation, *Global Change Biology*, 4:561-579.
- Forrester, J.W. (1969): *Urban dynamics*. Cambridge: M.I.T. Press., - XIII, 285 p.
- Fowler, H.W. and Fowler, F.G. (eds.) (1995): *The Concise Oxford Dictionary of current English First (9. ed)*. Oxford: Clarendon Press.
- Frank, E.C., and Lee, R. (1966): Potential solar beam irradiation on slopes. U.S. Department of Agriculture, Forest Service Research Paper, RM-18, 116 p.
- Freeze, R.A. (1972): The role subsurface flow in generating surface runoff. *Water Resources Research*. 8(5):1271-1283.
- Gentleman, W.M. (1974): Basic procedures for large, sparse or weighted linear least squares problems. *Applied Statistics*, 23:448-454.
- Geyer, O.F. and Gwinner, M.P. (1991): *Geologie von Baden-Württemberg*. Stuttgart.
- Gilchrist, W. (1984): *Statistical modelling*. Chichester: Wiley.
- Good, P. (2000): *Permutation tests: a practical guide to resampling methods for testing hypotheses (2. ed.)*. New York: Springer, XVI, 270 p.
- Gregory, J.M., Mitchell, J.F.B., and Brady, A.J. (1997): Summer drought in northern midlatitudes in a time-dependent CO<sub>2</sub> climate experiment. *J. Climate*, 10:662-686.
- Hack, J.T. (1957): *Studies of longitudinal stream profiles in Virginia and Maryland*. U.S.G.S. Professional Paper 294-B.
- Haggett, P., Chorley, R.J. (1969): *Network analysis in geography*. London : Arnold., XII, 348 p.
- Haldorsen, H. and Damsieth, E. (1990): *Stochastic Modelling*. SPE 20321.
- Hansen, J. and Lebedeff. S. (1988): Global surface air temperatures: Update through 1987. *Geophysical Research Letters* 15:323-326.
- Hammersley, J.M. and Handscomb, D.C. (1964): *Monte Carlo methods*. London: Methuen. 178 p.
- Hammond, A. (1996): *Which World?* Island Press, Washington, D.C., 306 p.
- Hamon, W.R. (1961): Estimating potential evapotranspiration. *Proceedings of the American Society of Civil Engineers, Journal of Hydraulic Division*, 87(HY3):107-120.
- Henderson-Sellers, A. (1990): Predicting generalized ecosystem groups with the NCAR GCM: First steps towards an interactive biosphere. *J. Climate*, 3:917-940.
- Henderson-Sellers, A. (1992): Assessing the sensitivity of a land-surface scheme to parameters used in tropical-deforestation experiments, *Quart. Quart. J. Roy. Meteor. Soc.*, 118:1100-1116.
- Henderson-Sellers A. (1993): Continental vegetation as a dynamic component of global climate model: a preliminary assessment. *Climatic Change* 23:337-378.

- Hennessey, K.J., Gregory, J.M., and Mitchell, J.F.B. (1997): Changes in daily precipitation under enhanced greenhouse conditions. *Clim. Dyn.*, 13:667-680.
- Hess, P. und Brezowsky, H. (1969): Katalog der Großwetterlagen Europas. Berichte des Deutschen Wetterdienst 113(15), 2 neu bearbeitete und ergänzte Aufl., Offenbach a. Main, Selbstverlag des Deutschen Wetterdienst.
- Hewlett, J.D. and Hibbert, A.R. (1967): Factors affecting the response of small watersheds to precipitation in humid areas. In W.E. Sopper and H.W. Lull (Eds.), *International Symposium on Forest Hydrology*. The Pennsylvania State University. Oxford: Pergamon.
- Horton, R.E. (1945): Erosional development of streams and their drainage basins: hydrophysical approach to quantitative morphology. *Bulletin of the Geological Society of America*, 56:275-370.
- Houghton, J.T., Jenkins, G.J., and Ephraums, J.J. (Ed.) (1990): *Climate Change - The IPCC Scientific Assessment*. Cambridge, UK: Cambridge University Press. 365 p.
- Houghton, J.T., Callander, B.A., and Varney, S.K. (Ed.) (1992): *Climate Change 1992 - The Supplementary Report to the IPCC Scientific Assessment*. Cambridge, UK: Cambridge University Press. 200 p.
- Houghton, J.T. et al. (eds.) (2001): *Climate Change 2001: The Scientific Basis*. Cambridge Univ. Press. Online: [http://www.grida.no/climate/ipcc\\_tar/wg1/index.htm](http://www.grida.no/climate/ipcc_tar/wg1/index.htm).
- Huber, P.J. (1981): *Robust Statistics*. New York: Wiley.
- IMSL (1997): *Fortran Subroutines for Mathematical Applications*. Visual Numerics, Inc.
- Institut für Photogrammetrie und Fernerkundung, Universität Karlsruhe (1995): Erstellung einer Landnutzungskarte des Landes Baden-Württemberg als Eingabedatensatz für ökologische Bewertungen auf der Grundlage von LANDSAT TM Satellitenbilddaten.
- Jenson, S.K. and Domingue, J.O. (1988): Extracting Topographic Structure from Digital Elevation Data for Geographic Information System Analysis, *Photogrammetric Engineering and Remote Sensing*. 54(11)1593-1600.
- Johns, T.C. (1996): A description of the Second Hadley Centre Coupled Model (HadCM2). *Climate Research Technical Note 71*, Hadley Centre, United Kingdom Meteorological Office, Bracknell Berkshire RG12 2SY, United Kingdom, 19 p.
- Jolliffe, I.T. (1986): *Principal component analysis*. New York: Springer. University of Geneva.
- Jones, P.D. (1994): Recent warming in global temperature series. *Geophysical Research letters*, 21:1149-1152.
- Jones, J.A. (1997): *Global hydrology: processes, resources and environmental management*. Harlow: Longman.
- Jordan et al. (2000): On Assessment of Potential Effects and Adaptations for Climate Change in Europe: The Europe ACACIA Project. Parry, M.L. (Editor). Jackson Environment Institute, University of East Anglia, Norwich, UK, , 320 p.

- Karl, T. and Trenberth, K. (1999): The Human Impact on Climate, *Scientific American*. December, 1999, in *Earth from the inside out* (2000).
- Karlqvist, A. (1978): *Spatial interaction theory and planning models*. Amsterdam: North-Holland Publ. Co., 388 p. (Studies in regional science and urban economics ; 3).
- Kirby, C. Newson, M.D., and Gilman, K. (1991): *Plynlimon Research: the first two decades*. Institute of Hydrology, Wallingford, Rep. 109 p.
- Kleeberg, H.B. and Cemus, J. (1992): Regionalisierung hydrologischer Daten. In: Kleeberg, H.B. (Ed.), *Regionalisierung in der Hydrologie*, Weinheim, 1-15.
- van Laarhoven, P.J.M. and Aarts, E.H.L. (1992): *Simulated annealing: theory and applications* Dordrecht : Kluwer, 1992. XI, 187 p.
- Laenen, A. (1980): Storm runoff as related to urbanization in the Portland, Oregon- Vancouver, Washington Area: United States Geological Survey Water Resources Investigations, Open File Report 80-689, 71 p.
- Landesanstalt für Umweltschutz Baden-Württemberg (1960-1993): *Hydrologisch-statistische Jahrbücher von 1960 bis 1993 für verschiedene Abflusspegel*. Karlsruhe.
- Landesanstalt für Umweltschutz Baden-Württemberg (1999): *Daten des Landschaftsrahmenprogramms Baden-Württemberg*. (LfU-IER-ILPÖ). Karlsruhe.
- Lane, D.M. (2001): Online: <http://davidmlane.com/hyperstat/index.html>.
- Launer, R.L. and Wilkinson, G.N. (eds.) (1979): *Robustness in Statistics*. New York: Academic Press.
- Law, F. (1956): The effects of afforestation upon water yields of catchment areas. *Journal of British Waterworks Association* 38:484-494.
- Leavesley, G.H., Lichty, R.W., Troutman, B.M., and Saindon, L.G. (1983): *Precipitation-Runoff Modeling System: User's Manual*, U.S. Geological Survey Water- Resources Investigations 83-4238. Denver - Colorado, 208 p.
- Leavesley, G.H. and Stannard, L.G. (1995): The Precipitation-Runoff Modeling System - PRMS, in *Computer Models of Watershed Hydrology*, V.P. Singh (ed.), Water Resources Publications, Highlands Ranch, Colorado, 281 - 310.
- Leopold, L.B. and Miller, J.P. (1956): *Ephemeral streams: hydraulic factors and their relations to the drainage net*. U.S.G.S. Professional Paper 282-A.
- Lettenmaier, D.P. and Wood, E.F. (1993): Hydrologic Forecasting. In *Handbook of Hydrology*, Chapter 26. Maidment, D.R. (ed. in chief). New York: McGraw-Hill.
- Lindsey, J. K. (1999): *Applying generalized linear models*. Springer, New York, 256 p.
- Linsley, R.K., Kohler, M.A., and Paulhus, J.L.H. (1982): *Hydrology for Engineers*, 3d ed., New York: McGraw-Hill.
- Mann, M.E., Bradley, R.S., and Hughes, M.K. (1999) (1): Northern Hemisphere Temperatures During the Past Millennium: Inferences, Uncertainties, and Limitations. *Geophysical Research Letters* 26(6):759.

- Mann, M.E., Bradley, R.S., and Hughes, M.K. (1999) (2): Northern Hemisphere Temperature Reconstruction for the Past Millennium, IGBP PAGES/World Data Center-A for Paleoclimatology Data Contribution Series # 1999-014. NOAA/NGDC Paleoclimatology Program, Boulder CO, USA.  
Online: [ftp://ftp.ngdc.noaa.gov/paleo/contributions\\_by\\_author/mann1999/](ftp://ftp.ngdc.noaa.gov/paleo/contributions_by_author/mann1999/)
- Matheron, G. (1970): The theory of regionalized variables and its applications. Fascicule 5, Les Cahiers du Centre de Morphologie Mathématique, Ecole des Mines de Paris, Fontainebleau.
- McArthur, T. (ed.) (1992): The Oxford Companion to the English Language. Oxford: Oxford University Press, 1996. - XVIII, 1053 p.
- McCarthy, J.J. (2001): Climate Change 2001: Impacts, Adaptation and Vulnerability - Contribution of Working Group II to the Third Assessment Report of the Intergovernmental Panel on Climate Change (IPCC). Online: [http://www.grida.no/climate/ipcc\\_tar/wg2/index.htm](http://www.grida.no/climate/ipcc_tar/wg2/index.htm).
- McCuen, R.H. (1973): The role of sensitivity analysis in hydrologic modeling, *Journal of hydrology*, 18:37-53.
- McCuen, R.H. (1998): *Hydrologic Analysis and Design*. New Jersey: Prentice Hall, 814 p.
- McGuffie, K., Henderson-Sellers, A., Holbrook, N., Kothavala, Z., Balachova O., and Hoestra, J. (1999): Assessing simulations of daily temperature and precipitation variability with global climate models for present and enhanced greenhouse climates. *Int. J. Climatol.*, 19:1-26.
- McNeill, J. (rapporteur) et al. (1994): Toward a Typology and Regionalization of Land Cover and Land Use Change. In: Meyer W. and B. L. Turner II (eds.). *Changes in Land Use and Land Cover: A Global Perspective*. Cambridge: University Press.
- Mein, R.G. and Brown, B.M. (1978): Sensitivity of optimised parameters in watershed models. *Water Resources Research*, 14(2):299-303.
- Melton, M.A. (1958): An analysis of relations among elements of climate, surface properties, and geomorphology. Office of Naval Research, Geographic Branch, Project NR 389-042, Technical Report, II.
- Melloh, A.R (1999): A Synopsis and Comparison of Selected Snowmelt Algorithms. U.S. Army Cold Regions Research and Engineering Laboratory: CRREL Report 99-8. Online: [http://www.crrel.usace.army.mil/techpub/CRREL\\_Reports/reports/CR99\\_08.pdf](http://www.crrel.usace.army.mil/techpub/CRREL_Reports/reports/CR99_08.pdf) .
- Metropolis, N., Rosenbluth, A., Teller, M., Teller, A., and Teller, E. (1953): Equation of state calculations by fast computing machines. *Journal Chem. Phys.* 21:1087.
- Meyer, W. and Turner, B.L.II (eds.) (1994): *Changes in Land Use and Land Cover: A Global Perspective*. Cambridge: University Press.
- Monteith, J.L. (1965): Evaporation and the environment. *Symposium of the Society of Exploratory Biology* 19:205-234.
- Montgomery, D.C. and Peck, E.A. (1982): *Introduction to linear regression analysis*. New York: Wiley, XIII, 504 p.



- Moore, R.D. (1997): Storage-outflow modeling of streamflow recessions, with application to a shallow-soil forested catchment. *Journal of Hydrology* 198:260-270.
- Moore, I., Grayson, R., and Ladson, A. (1991): Digital terrain modelling: a review of hydrological, geomorphological, and biological applications. *Hydrological Processes*, 5:3-30.
- Muller, M.R. and Middleton, J. (1994): A Markov model of land-use change dynamics in the Niagara Region, Ontario, Canada, Land- Winkler, G., 1995. *Landscape Ecology*, 9(2):151–157.
- Nandakumar, N., Mein, R.G. (1997): Uncertainty in rainfall-runoff model simulations and the implications for predicting the hydrologic effects of land-use change. *Journal of Hydrology* 192:211-232.
- Neave, H.R. and Worthington, P.L. (1988): *Distribution-free tests*. First Edition. London: Unwin Hyman.
- New, M., Hulme, M., and Jones, P.D. (2000): Representing twentieth century space-time climate variability. Part 2: development of 1901-96 monthly grids of terrestrial surface climate. *J. Climate*, 13(13):2217-2238.
- Nolsøe, K., Nielsen, J., and Madsen, H. (2000): Optimal Weights in Prediction Error and Weighted Least Squares Methods. Online: [http://www.imm.dtu.dk/documents/ftp/tr00/tr08\\_00.pdf](http://www.imm.dtu.dk/documents/ftp/tr00/tr08_00.pdf)
- O'Loughlin, E.M. (1981): Saturated regions in catchments and their relations to soil and topographic properties, *Journal of Hydrology*, (53):229-226.
- O'loughlin, E.M., Short, D.L. and Dawes, W.R. (1989): Modelling the hydrological response of catchments to land use change. In: *Proceedings of the 1989 Australian Institution of Engineers Hydrology and Water Resources Symposium*. Nat. Conf. Publ., 89(19):335-340.
- Penman, H.L. (1948): Natural evaporation from open water, bare soil and grass. *Proceedings of the Royal Society, London*, A193, 120-146.
- Perez-Trejo, F. (1993): Landscape response units: process-based self-organising systems. In, Haines-Young, R., Green, D.R. and Cousins, S. (eds), *Landscape Ecology and Geographic Information Systems*, Taylor and Francis, London, UK., 87-98.
- Piechota, T.C. and Dracup, J.A. (1996): Drought and Regional Hydrologic Variations in the United States: Associations with the El Niño-Southern Oscillation. *Water Resources Research*, 32(5):1359-1373.
- Pirt, J. (1983): Low flow estimation in ungauged catchments. Occasional paper 6, Department of Geography, University of Technology, Loughborough.
- Potter, K.W. (1991): Hydrological impacts of changing land management practices in a moderate-sized agricultural catchment: *Water Resources Research*, 27(5):845-855.
- Quenouille, M. (1949): Approximate tests of correlation in time series. *Journal of the Royal Statistical Society*, 11B:18-84.
- Raudkivi, A.J. (1979): *Hydrology : an advanced introduction to hydrological processes and modelling*. 1<sup>st</sup> ed. Oxford, Kronberg-Taunus: Pergamon Press., IX, 479 p.

- Reddmont, T. and Koch, R. (1991): Surface climate and stream flow variability in the Western United States and their relationship to large-scale circulation indices. *Water Resources Research* 17:2381-2399.
- Refsgaard, J.C., Alley, W.M., and Vuglinsky, V.S. (1989): Methods for distinguishing between man's influence and climatic effects on the hydrological cycle (IHP-III Project 6.3. UNESCO, 1989).
- Refsgaard, J.C. (1997): Parameterisation, calibration and validation of distributed hydrological models. Elsevier, *Journal of Hydrology* 198:69-97.
- Reimold, R.J. (ed.) (1998): *Watershed Management: Practice, Policies, and Coordination*. New York: McGraw-Hill.
- Ripley, B.D. (1987): *Stochastic simulation*. New York: Wiley. XI, 237 p.
- Rodriguez-Iturbe, I. (1969). Estimations of Statistical parameters for Annual River Flows. *Water Resources Research*, 5(6):1418-1426.
- Rousseeuw, P.J. and Leroy A.M. (1987): *Robust regression and outlier detection*. New York : Wiley. XIV, 329 p.
- Rowland, F.S. (2000): Memorandum to the President, subject: Climate change and its consequences. In: *U.S. Policy and the Global Environment*. Kennedy, D. and Riggs, J. (Eds.). Aspen Institute: Colorado.
- Salati, E., Dall'Olio, A., Matsui, E., Gat, J.R. (1979): Recycling of water in the Amazon basin: an isotopic study. *Water Resource Research*, 15(5):1250-1258.
- Samaniego, L. (1997): *Watershed Management: a case study in Ecuador* (Master Thesis). University of Stuttgart. (Unpublished).
- Sartor, J. (1998): Mögliche Einflüsse der Bebauung auf den Hochwasserabfluß. *Die Wasserwirtschaft*, 88(3):122-126.
- Savenije, H.H.G. (1995): New definitions for moisture recycling and the relationships with land-use changes in the Sahel. Elsevier, *Journal of Hydrology* 167:57-78.
- Schumann, A.H. and Schultz, G.A. (2000): *Detection of Land Cover Change Tendencies and their Effect on Water Management*. Remote Sensing in Hydrology and Water Management. Heidelberg. 419-442.
- Schultz, G.A. (ed.) (2000): *Remote sensing in hydrology and water management*. Berlin: Springer, XX, 483 p.
- Shaw, J. (1997): *Beyond VaR and stress testing in VaR: Understanding and Applying Value at Risk*. Risk Publications, London, 211-224.
- Shorthouse, C. and Arnell, N.W. (1997): Spatial and temporal variability in European river flows and the North Atlantic Oscillation. *FRIEND'97: International Association of Hydrological Science Publications*, 246, 77-85.
- Shukla, J., Nobre, C. and Sellers, P. (1990): Amazon deforestation and climate change. *Science* 247:1322-1325.
- Simonoff, J. S. (1996): *Smoothing Methods in Statistics*. Springer, New York.

- Singh, V.P. (ed.) (1995): Computer models of watershed hydrology. Water Resources Publications. Colorado.
- Skole, D.L. (1994): Data on Global Land Cover Change: Acquisition, Assessment, and Analysis. In: Meyer W. and B. L. Turner II (eds.). Changes in Land Use and Land Cover: A Global Perspective. Cambridge: University Press.
- Statistisches Landesamt Baden-Württemberg (1984-1993): Ergebnisse der Flächenerhebung nach Gemeinden und Gemarkungen, Bodenfläche nach Art der tatsächlichen Nutzung (1981, 1985, 1989, 1993 und 1997).
- Statistisches Landesamt Baden-Württemberg (1996): Arbeitslosenquote in der Region Stuttgart, Stuttgart. Online: <http://www.statistik.baden-wuerttemberg.de>.
- Stahl, K. and Demuth, S. (1999): Linking streamflow drought to the occurrence of atmospheric circulation patterns. *Hydrological Sciences Journal*, 44(3):467-482.
- Steiss, A.W. (1974): Models for the analysis and planning of urban systems. Lexington, Mass.: Lexington Books. - XI, 352 p.
- Stern, P.C., Young, O.R., and Druckman D. (eds.) (1992): Global environmental change: Understanding the human dimensions. Washington, DC: National Academy Press.
- von Storch, H., Bruce H., and Mearns L. (1999): Review of Empirical Downscaling Techniques. GKSS Research Center, Institute for Hydrophysics, Germany. Online: [http://www.nilu.no/regclim/rapport\\_4/presentation02/presentation02.htm](http://www.nilu.no/regclim/rapport_4/presentation02/presentation02.htm).
- Swift, L.W. (1976): Algorithm for solar radiation on mountain slopes. *Water Resources Research*, 12(1):108-112.
- Tarboton D.G., Bras, R.L., Rodriguez-Iturbe, I. (1991): On the Extraction of Channel Networks from Digital Elevation Data, *Hydrological Processes*. 5:81-100.
- The American Heritage Dictionary of the English Language, 4<sup>th</sup> ed. (2000): Boston: Houghton Mifflin.
- Treuner, P. (1995): Introduction to Scenario Methods in Regional Development Planning, in: *Methods and Experience of Regional Development Scenarios*. Shanghai.
- Tukey, J. (1958): Bias and confidence in not quite large samples. Abstract, *Annals of Mathematical Statistics*, 29:614.
- Turner, B.L. and Meyer, W.B. (1991): Land use and land cover in global environmental change: considerations for study. *International Social Sciences Journal* 130:669–667.
- Turner, M.G., (1987): Spatial simulation of landscape changes in Georgia: A comparison of three transition models, *Landscape Ecology*, York, N.Y., 537(1):29–36.
- Turner, B.L., Moss, R.H., and Skole, D.L. (Eds.) (1993): Relating land use and global land-cover change: A proposal for an IGBP-HDP core project. Report from the IGBP-HDP Working Group on Land-Use/Land-Cover Change. Joint publication of the International Geosphere-Biosphere Programme (Report No. 24) and the Human Dimensions of Global Environmental Change Programme (Report No. 5). Stockholm: Royal Swedish Academy of Sciences.

- USDA-SCS (1985): National Engineering Handbook, Section 4 - Hydrology. Washington, D.C.: USDA-SCS.
- USGS (2002): Online: [http://water.usgs.gov/cgi-bin/man\\_wrdapp?prms](http://water.usgs.gov/cgi-bin/man_wrdapp?prms)
- Venables, W.N. and Ripley, B.D. (1997): Modern applied statistics with S-Plus. 2. ed. New York: Springer.
- Vertessy, R.A., Hatton, T.J., O'Shaughnessy, P.J., and Jayasuriya, M.D.A. (1993): Predicting Water Yield from a Mountain Ash Forest Catchment Using a Terrain Analysis-Based Catchment Model. *Journal of Hydrology*, 150:665-700.
- Vinnikov, K.Ya., Groisman, P.Ya., and Lugina. K.M. (1990): Empirical data on contemporary global climate changes (temperature and precipitation). *Journal of Climate* 3:662-677.
- Walker, P.M. (ed.) (1999) Dictionary of Science and Technology. Edinburgh: Chambers Harrap Publishers Ltd.
- Ward, R.C. and Robinson, M. (2000): Principles of hydrology (4<sup>th</sup> ed.). London: McGraw-Hill, - XIV, 450 p.
- WCED (World Commission on Environment and Development), (1987): Our Common Future. London: Oxford University Press.
- Wigley, T.M.L. and Raper, S.C.B. (1992): Implications for climate and sea-level of the revised IPCC emissions scenarios. *Nature* 357(6376):293-300.
- Wilby, R.L. (ed) (1997): Contemporary hydrology: towards holistic environmental science. Chichester: Wiley, 354 p.
- Wilks, D. (1995): Statistical Methods in the Atmospheric Sciences: *An Introduction*. San Diego: Academic Press, 465 p.
- Wischmeier, W.H. and Smith, D.D. (1978): Agriculture Handbook No. 537. Predicting rainfall erosion losses - A guide to conservation planning with the Universal Soil Loss Equation (USLE) -. United States Department of Agriculture, Springfield, USA.
- Wolfe, P. (1963): Methods of Nonlinear Programming on Recent Advances in Mathematical Programming, Graves, R. L., and Wolfe, P. (Eds.). New York: McGraw-Hill, 67-86.
- Wolock, D.M. (1993): Simulating the variable-source-area concept of watershed hydrology with TOPMODEL: USGS Water-Resources Investigation Report 93-4124, 33 p.
- Wonnacott, T.H. and Wonnacott, R.J. (1990): Introductory statistics. 5<sup>th</sup> ed. New York: Wiley, XVI, 711 p.
- Zwiers, F.W. (2002): Climate change. The 20-year forecast. *Nature*, 416:690-691.